

AHNS endocrine surgery section consensus statement on nasopharyngolaryngoscopy and clinic reopening during COVID-19: How to get back to optimal safe care.

Title: AHNS endocrine surgery section consensus statement on nasopharyngolaryngoscopy and clinic reopening during COVID-19: How to get back to optimal safe care.

Publication year: 2021

Journal: Head & neck

Authors: Massachusetts Eye and Ear, Divisions of Rhinology, Head and Neck Surgery and Thyroid and Parathyroid Endocrine Surgery, Department of Otolaryngology Head and Neck Surgery, Harvard Medical School, Boston, MA.

Society: AHNS endocrine surgery section

Origin country: United States

Target countries: United States

DOI: 10.1002/hed.26525

PMID: 33205536

Source: <https://pubmed.ncbi.nlm.nih.gov/33205536/>

Head Neck Head Neck 3812 phebblackwell 8902541 HED Head & Neck 1043-3074 1097-0347
pmc-is-collection-domain yes pmc-collection-title Wiley - PMC COVID-19 Collection PMC7753703
PMC7753703.1 7753703 7753703 33205536 10.1002/hed.26525 HED26525 1 Practice Guidelines
Practice Guidelines AHNS endocrine surgery section consensus statement on
nasopharyngolaryngoscopy and clinic reopening during COVID ■19: How to get back to optimal
safe care Bleier et al. Bleier Benjamin MD 1 Workman Alan MD MTR 1 Burks Ciersten MD
<https://orcid.org/0000-0002-9377-5715> 1 Maxfield Alice MD 2 Stack Brendan C. Jr MD
<https://orcid.org/0000-0003-2896-1615> 3 Nathan Cherie■Ann MD
<https://orcid.org/0000-0001-7386-318X> 4 McCammon Susan MD 5 Varvares Mark MD
<https://orcid.org/0000-0002-6570-5672> 1 Schmalbach Cecelia MD 6 Wang Steven MD 7 Califano
Joseph MD 8 Shnayder Yelizaveta MD 9 Gillespie Marion B. MD 10 Enepekides Danny MD, MPH
11 Witterick Ian MD 12 El■Sayed Ivan MD <https://orcid.org/0000-0001-8121-3726> 13 Lin Derrick
MD 1 Patel Urjeet MD 13 Kraus Dennis MD 14 Randolph Gregory MD 1
Gregory_Randolph@meei.harvard.edu 1 Massachusetts Eye and Ear, Divisions of Rhinology,
Head and Neck Surgery and Thyroid and Parathyroid Endocrine Surgery, Department of
Otolaryngology Head and Neck Surgery, Harvard Medical School, Boston, MA 2 Department
Otolaryngology Head and Neck Surgery Brigham and Women's Hospital, Harvard Medical School,
Boston, MA 3 Department of Otolaryngology■Head and Neck Surgery Southern Illinois University
School of Medicine, Illinois, IL 4 Department of Otolaryngology–Head and Neck Surgery LSUHSC,
Louisiana New Orleans 5 Department of Otolaryngology–Head and Neck Surgery University of
Alabama at Birmingham, Birmingham, AL 6 Department of Otolaryngology■HNS Lewis Katz
School of Medicine at Temple University, Philadelphia, PA 7 Department of Otolaryngology■Head
and Neck Surgery University of Arizona College of Medicine, Tucson, Tucson, AZ 8 Division of
Otolaryngology Head and Neck Surgery, Department of Surgery University of California San Diego,
San Diego, California 9 Department of Otolaryngology – Head and Neck Surgery University of
Kansas School of Medicine, Kansas City, Kansas 10 UTHSC Department of Otolaryngology■ Head
and Neck Surgery Memphis, TN 11 Sunnybrook Health Sciences Centre, Department of
Otolaryngology■Head & Neck Surgery University of Toronto, Toronto, CA 12 Department of
Otolaryngology■ Head and Neck Surgery University of Toronto, Toronto, CA 13 Department of
Otolaryngology Northwestern University, Evanston, IL 14 Department of Otolaryngology ■ Head &
Neck Surgery Lenox Hill Hospital Zucker School of Medicine at Hofstra/Northwell, New York *
Correspondence Gregory Randolph, Department of Otolaryngology■Head and Neck Surgery,
Harvard Medical School, Massachusetts Eye & Ear, 243 Charles Street, Boston, MA 02114. Email:

gregory_randolph@meei.harvard.edu 17 11 2020 2 2021 43 2 371215 10.1002/hed.v43.2 733 738
06 10 2020 21 10 2020 17 11 2020 22 12 2020 30 04 2024 © 2020 Wiley Periodicals LLC This
article is being made freely available through PubMed Central as part of the COVID-19 public
health emergency response. It can be used for unrestricted research re-use and analysis in any
form or by any means with acknowledgement of the original source, for the duration of the public
health emergency. Abstract This article provides best practice guidelines regarding
nasopharyngolaryngoscopy and OHNS clinic reopening during the COVID-19 pandemic. The aim
is to provide evidence-based recommendations defining the risks of COVID-19 in clinic, the
importance of pre-visit screening in addition to testing, along with ways to adhere to CDC
guidelines for environmental, source, and engineering controls.

pmc-status-qastatus 0 pmc-status-live yes pmc-status-embargo no pmc-status-released yes
pmc-prop-open-access no pmc-prop-olf no pmc-prop-manuscript no pmc-prop-legally-suppressed
no pmc-prop-has-pdf yes pmc-prop-has-supplement no pmc-prop-pdf-only no
pmc-prop-suppress-copyright no pmc-prop-is-real-version no pmc-prop-is-scanned-article no
pmc-prop-preprint no pmc-prop-in-epmc yes source-schema-version-number 2.0 cover-date
February 2021 details-of-publishers-converter Converter:WILEY_ML3GV2_TO_JATSPMC
version:6.1.7 mode:remove_FC converted:21.06.2022 Bleier B , Workman A , Burks C , et al.
AHNS endocrine surgery section consensus statement on nasopharyngolaryngoscopy and clinic
reopening during COVID -19: How to get back to optimal safe care . Head & Neck . 2021 ; 43 : 733
– 738 . 10.1002/hed.26525 33205536 PMC7753703